

# ALSTOR Cantilever Racking



---

## Product Features:

- Ideal for industrial environments
- Specifically designed to handle oddly shaped materials
- Easy accessible design
- Available in both single or doubled sided configurations
- Powdercoated or hot dipped galvanised finish
- Optional universal arm and base end stop spigots

# Heavy Duty Cantilever



## Post Height:

Height
4877mm
5468mm
6096mm


## Arm Length & Load Capacity:

Length	Capacity UDL
900mm	1300kg
1200mm	1000kg
1500mm	1000kg

## Column Centres:

Description	Bracing				
Galvanised	900mm	1200mm	1500mm	1800mm	-
Powdercoated	900mm	1200mm	1500mm	1800mm	2100mm

# Medium Duty Cantilever



## Post Height:

Height
2438mm
3048mm
3660mm
4250mm
4877mm
6096mm

## Arm Length & Load Capacity:

Length	Capacity UDL
900mm	1300kg
1200mm	1000kg
1500mm	1000kg

## Column Centres:

Description	Bracing				
Galvanised	900mm	1200mm	1500mm	1800mm	-
Powdercoated	900mm	1200mm	1500mm	1800mm	2100mm

# Light Duty Cantilever



## Post Height:

Height
2000mm
2400mm
3000mm
3600mm
4200mm

## Arm Length & Load Capacity:

Length	Capacity UDL
700mm	350kg
900mm	280kg
1200mm	250kg

## Column Centres:

Description	Bracing		
	900mm	1200mm	1500mm
Galvanised	900mm	1200mm	1500mm
Powdercoated	900mm	1200mm	1500mm